

Automatic. Flexible.

HE HOMAG

Our Automatic Console Table
A-FLEX table

YOUR SOLUTION




Automatically at the right place: The A-FLEX table

The A-FLEX table is the perfect combination of the console table and the automatic table. With the A-FLEX table, you automatically set up the consoles and vacuum cups while remaining flexible and universal in use. Thus, you are perfectly positioned for all requirements.



Floating instead of pushing

The vacuum cups move on an air cushion along the console. Nozzles at the front and rear of each cup blow dust and chips off the console for trouble-free placement and to help extend the life of the system.




LED setup aid and vacuum cups with tracing valve

Put on the right vacuum cups – correctly oriented and in the right order, always. The cups can be placed quickly and safely, assisted by the LED display direct on the console. The vacuum cups are available with an optional touch valve and can remain on the machine even when they are not occupied.



All clamping devices available


The basis of the table is the proven 2-circuit vacuum system. Thus, in addition to the automatically positionable elements, all standard clamping devices can be used in manual operation.



safeScan safety technology

This machine includes a scanner for contact-free protection. After start release, the table starts the cup setup independently when the operator leaves the safety area.

Usable on the following series




CENTATEQ P-210



CENTATEQ P/E-310

PC 87 slot assignment

Programming each vacuum cup manually? That's a thing of the past! The PC 87 slot assignment calculates the best vacuum cup arrangement for the clamping devices available on the machine.



- 1 Parking of vacuum cups and consoles:** Programmed cup setups with a fixed sequence and alignment of the clamping elements enable fully automatic work. The vacuum cup program is aligned accordingly, and no vacuum cup has to be turned or exchanged. Cups and consoles that are not required are automatically moved into the parking position.
- 2 Asymmetrical table division:** Each console can be moved to the other field in alternate operation. Thus, large parts can be processed on one side and small parts on the other side on 2 or 3 consoles.
- 3 Free number of vacuum cups and combination with manual clamping devices:** Up to 8 vacuum cups can be positioned automatically, and any number of others can be positioned manually. This means that even thin parts are held securely. And automatically positioned and manually set clamping devices can be combined in one setup, with full support from the LED display.

HOMAG Group AG

info@homag.com

www.homag.com



YOUR SOLUTION